

Subject index

A

`ac` 458
`acprplot` 456
added-variable plot see `avplot`
`addplot()` 477
 `msymbol()` 477
adjacent lines see `alsize`
`alsize` 219
`alternate` 206
alternate axes see axes, alternate
angle 399–401
 axis labels see `xlabel()` and
 `ylabel()`
 label 32, 166, 205
 marker labels see `mlabangle()`
 marker symbol 400–401, 446–447
`angle0()` 254
area graphs see `twoway area`
 color 77
 horizontal 76
 setting the base 76
 shading 76
 sorting 76
`ascategory` 142, 164, 204–205, 238
aspect ratio 387
`aspectratio()` 387
`asyvars` .. 31–34, 149, 161, 162, 170–175,
 193, 195–196, 208, 210–212, 226,
 231, 240
augmented component-plus-residual plot
 see `acprplot`
`avplot` 456, 465–466, 468–469
`aweight` 43, 275
axes
 alternate 164, 166, 183, 206, 239,
 244, 304
 bar graphs 162–169, 180–183
 base 53
 box plots 203–207, 213–216

axes, *continued*

 categorical
 bar graphs 162–169
 box plots 203–207
 dot plots 237–239
 titles 32
 displaying for multiple graphs... 315
 dot plots 237–239, 242–245
 label gap 168
 labels .. see `xlabel()` and `ylabel()`
 lines see `xline()` and `yline()`
 log scale 304
 multiple 114, 124, 131–133, 293,
 308–310, 341
 options 290–293, 310
 reverse scale 304
 scale ... see `xscale()` and `yscale()`
 scaling independently 314
 selecting 309–310
 size 387–388
 suppressing 183, 215, 303
 titles ... see `xtitle()` and `ytitle()`
`axis()` 132, 293

B

`b1title()` 32–34, 169, 207, 322, 363
`b2title()` 169, 207, 363
`bar()` 185
 `bcolor()` 185
 `fcolor()` 186
 `lcolor()` 186
 `lwidth()` 186
bar graphs... see `graph bar` and `twoway bar`
 axes see axes, bar graphs
 bar height 177
 bar width 79
 base 78
 `by()` 186–191
 categorical axes see axes,
 categorical, bar graphs

bar graphs, *continued*

color 184–186
 confidence intervals 505
 descending 158, 159, 162
 excluding missing bars... *see* `nofill`
 fill color 79
 format 33
 gaps 151–157
 horizontal *see* `graph hbar`
 labels 33, 175
 legend 169–175
 line color 79
 lines 52
 look 184–186
 ordering 157–162
 overlaying 153
 placing labels inside bars ... 179–180
 reverse order 162
 sorting 157–162
 stacked 143, 150
 titles 181
 vertical separators 125–126
y variables 139–143
barwidth() 79, 89, 94
base() 53, 76, 78
bcolor() 63, 86, 89
bexpand() 345–346
bin() 91
bins
 lower limit 91
 number 91
blabel() 33–34, 165, 175–180
 format() 33–34
 gap() 180
 position() 179–180
bold 354–355
box() 217–218
 bcolor() 217–218
 blcolor() 218
 blwidth() 218
box 467
box plots *see* `graph box`
 adjacent lines *see* `alsize`
 alphabetical order 200
 axes *see* `axes`, `box plots`
 by() *see* `by()`, `box plots`
 categorical axes *see* `axes`,
 categorical, `box plots`
 descending order 200

box plots, *continued*

excluding missing categories *see*
 nofill
 horizontal *see* `graph hbox`
 legend 208–212
 lines 214
 look 216–220
 median values *see* `medtype()`,
 medmarker(), and `medline()`
 ordering 200–202
over() *see* `over()`, `box plots`
 patterns 214
 sorting 200
 titles 214
 whiskers customized... *see* `cwhiskers`
y variables 191–197
boxgap() 199, 217
bubble plots 43, 275
 building a graph 30–34
by() 136–137, 222–223, 248–250,
 266–268, 310–324, 336–337
 alignment() 351
 bititle() 324
 bar graphs 186–191
 box 350–351
 box plots 220–224
 caption() 318
 colfirst 311
 cols() 189, 223, 250, 312, 315
 combining options 324
 compact 50, 136–137, 313
 dot plots 248–250
 errors 517
 height() 351
 holes() 312
 iscale() 313
 ixaxes 315–316
 ixtitle 316, 324
 iyaxes 315, 316
 iytitle 316, 324
 justification() 351
 l1title() 324
 legend() ... 189, 223, 267–268, 323,
 336–337
 at() 268, 337
 position() ... 189, 223, 267, 323
 missing 188–189, 222, 249
 noedglabel 313

by(), continued

note() 189, 320
 suffix 321
 pie charts 265–268
position() 350–351
rescale 314, 324
ring() 350–351
rows() 223, 312
scale() 137
 scatterplot matrices 135–137,
 310–324
sts graph 467
subtitle() 320
 textboxes 350–351
 title 311
title() 317–318, 322, 324
 position() 322
 ring() 322
 total ... 49, 188, 222–223, 250, 311,
 324
 twoway 49–50, 115
width() 351
xrescale 314
yrescale 314
bydimension() 487
 label() 487
byopts() 488
 caption() 488
 ixaxes 488
 note() 488
 subtitle() 488
 title() 488

C

caps see *capsize()*
capsize() 220
caption() 318, 362, 473, 488
 categorical axes see *axes*, categorical
ccolors() 107
ccuts() 106
ciopts() 475
 lwidth() 475
 msize() 475
ciplot 64
 clock position 427–428
 CMYK colors 424, 426

color

area graphs 77
 bar fill 79
 bar graphs 185–186
 bar lines 52, 79
 box plots 217–218
 CMYK 424, 426
 confidence level 63
 connecting lines 69, 85, 290
 graph region ... see *graphregion()*
 histogram bars 94
 HSB 425, 426
 HSL 425, 426
 HSV 425, 426
 intensity 184, 217, 406–415
 labels 167, 206
 legend 334
 lines 100, 243, 246
 marker fill 54, 278
 marker outline 278
 marker symbols 39–43
 markers ... 70, 84, 246–248, 276–280
 median line 218
 named styles 402–406
 opacity 415–420
 overlap 420–423
 pie charts 255–257
 plot region ... see *plotregion()*
 RGB 424, 425
 styles 401–427
 textbox 343, 349
cols() 499–501
 columns 264
 combining graphs 495–501
 commas with graph options 515
 compass direction 428–429
 component-plus-residual plot see
 cprplot
 confidence interval
 fit (regression predictions) ... 60–68
 for means and percentiles of survival
 time see *stci*
 selecting display command 64
 setting level 62
 confidence level
 color 63
 pattern 63
 width 63

- confidence regions
 overlapping..... 65–68
- `connect()` 45–47, 70, 113, 288–290, 431–432
- connect lines width..... see `lwidth()`
- connected plots.. see `twoway connected`
- connecting
 lines see lines, connecting
 points 45–47
 styles..... 429–432
- contour plots 105–112
- correlogram..... see `ac` and `pac`
- `cprplot`..... 456
- cross-correlogram see `xcorr`
- `crule()` 108–111
- `cumsp` 458
- cumulative spectral distribution graph ..
 see `cumsp`
- `cwhiskers` 219
- D**
- dates 73
- density..... see `kdensity` and `twoway kdensity`
- descending 161, 255
- diagonal 133
 `fcolor()` 134
- discrete 98
- displaying named graphs 493
- distribution graphs 454
- distribution plots 90–105
- dot plots..... see `graph dot` and `twoway dot`
 dot
 alphabetical order..... 235
 axes see axes, dot plots
 `by()`..... see `by()`, dots plots
 categorical axes..... see axes, categorical, dot plots
 descending order..... 235
 excluding missing categories see `nofill`
 legend 239–242
 look 245–248
 ordering 235
 `over()`..... see `over()`, dot plots
 reverse order 237
 sorting..... 235
- `dots()` 246
 `mcolor()` 246
 `msize()` 246
 `msymbol()` 246
- dropped-line plots..... see `twoway dropline`
- E**
- `ecolor()` 108–111
- `exclude0` 182–183, 244
- exploding pie slices 256
- exporting graphs..... 501–504
- F**
- `fcolor()` 77, 79, 86, 90, 94
- FEVD see forecast-error variance decomposition
- fits (regression predictions)
 fractional polynomial.... see `twoway fffit` and `twoway fffitci`
 linear..... see `twoway lfit` and `twoway lfitci`
 quadratic..... see `twoway qfit` and `twoway qfitci`
- fonts..... 355–357
- forecast-error variance decomposition ...
 462
- forest plot..... 460
- formatting numbers
 bar labels..... 33
 pie slices 259–261
- forty-five degree lines..... 496
- `fraction()` 92
- fractional polynomial fits..... see `twoway fffit` and `twoway fffitci`
- frequency..... 92
- function, line plot of..... see `twoway function`
- `fysize()` 501
- G**
- gap
 between boxes 199
 between boxes and edge of plot.. 199
 between columns..... 335
 between labels and outside the graph
 168
 between labels and ticks 207
 between lines 233

- gap, *continued*
 - between marker and label 287
 - between rows 335
 - box plots 198
 - dot plots 233
 - textboxes 347
 - gap() 93–94
 - gladder 455
 - glcolor 302
 - graph bar 29, 31–34, 139–191
 - graph box 191–224
 - graph combine 496–499
 - graph display 30, 494
 - graph dot 14, 225–250
 - graph hbar 13, 78, 139–191
 - graph hbox 14, 191–224
 - graph matrix 13, 29, 127–137
 - graph pie 14, 251–268
 - graph save 492
 - graph use 493–494
 - graphing a function *see* twoway function
 - graphregion() 396–397
 - color() 396
 - fcolor() 397
 - ifcolor() 397
 - lcolor() 397
 - lwidth() 397
 - graphs, specialized *see* specialized graphs
 - Greek symbols 352–353
 - grids
 - displaying 301–303
 - suppressing 182, 215, 301
 - groups *see* by() and over()
- H**
- half 134
 - height
 - bar 177
 - histogram bar *see* histogram, bar height
 - symbol 335
 - hi-lo graphs *see* range plots
 - histogram *see* twoway histogram
 - bar color 94
 - bar height 91–93
 - bar width 94, 98
 - gap between bars 93
 - histogram, *continued*
 - horizontal 98
 - opacity 94–97
 - overlapping 94–97
 - horizontal 53, 76, 78, 84, 98, 99
 - HSB colors 425, 426
 - HSL colors 425, 426
 - HSV colors 425, 426
- I**
- if *see* samples, selecting
 - imargin() 500
 - immediate graphs *see* twoway scatteri
 - impulse–response function 462
 - in *see* samples, selecting
 - intensity() 184, 217
 - intensity, color 406–415
 - IRF *see* impulse–response function
 - irf graph 462
 - IRT model *see* item response theory model
 - irtgraph 461
 - italics 354–355
 - item information function 461
 - item response theory model 461
- J**
- jitter() 135
 - jittering *see* scatterplot matrices, jittering
 - justification
 - textboxes 344–346
 - titles *see* title(), justification()
- K**
- kdensity 12, 464
 - kernel density *see* kdensity and twoway kdensity
 - horizontal 99
 - lines 100
 - methods 99
 - opacity 102–104
 - overlapping 100, 102–104
 - kernel(biweight) 99

L

- l1title() 169, 207, 239, 322, 363
- l2title() 169, 207, 239, 363
- label() 336, 467
- labels 24–25
 - alternate 166, 206
 - angles *see* angle, label
 - axes *see* xlabel() and ylabel()
 - bar graphs 33, 175
 - changing 163–165, 172, 203, 210, 238
 - color 167, 206
 - gap from axis 168, 169, 207
 - gap from outside edge of graph.. 168
 - gap from ticks 207
 - legend *see* legend, labels
 - marker symbols 43–45
 - markers 113, 129, 283–287
 - matrix 131–133
 - missing values 163
 - pie charts 257–262, 267
 - placing inside bars 179–180
 - points 338
 - position 179–180, 260, 339
 - scale 137
 - size 130, 167, 206, 260
 - suppressing 137, 165, 167, 170, 176, 209–210, 241, 297
 - ticks 206
 - time series 74
 - titles 114
- ladder of powers graphs 455
- lcolor() 52, 64, 69, 70, 72, 77, 79, 85–87, 90, 94, 100, 290
- legend 25–26, 46–47
 - bar graphs 169–175
 - box plots 208–212
 - columns 173–174, 190, 212, 264, 328
 - dot plots 239–242
 - key 327, 330
 - labels 190, 241, 326–327, 334
 - margins 335
 - options 324–337
 - overlaid graphs 122, 124
 - pie charts 262–265, 267
 - placing within plot regions 173
 - position .. 33, 172–174, 189, 211–212, 264, 267, 331–337
- legend, *continued*
 - rows 33, 172, 211, 241, 329
 - stacked 174, 212, 331
 - subtitle 190
 - suppressing 171, 259
 - text 328
 - titles 333–334
 - twoway 115
 - width 332
- legend() ... 25–26, 29–30, 33–34, 46–47, 51, 115, 122, 124–126, 169–176, 190, 210–212, 223, 241–242, 259, 263–265, 267, 323, 326–337, 467, 482
 - bexpand 332
 - bmargint() 335
 - box 334
 - by() *see* by(), legend()
 - colfirst 172, 211, 264, 329–330
 - colgap() 335
 - color() 334
 - cols() 26, 47, 115, 173–174, 190, 212, 223, 242, 265, 267, 328, 331, 337
 - fcolor() 334
 - holes() 264, 329
 - label() ... 26, 46–47, 122, 126, 172, 190, 210, 241, 263, 323, 326–327
 - note() 334
 - order() 46–47, 264, 327–334
 - pos() 482
 - position() 28, 33–34, 172–174, 211–212, 331–337
 - region() 334
 - fcolor() 334
 - lcolor() 334
 - lwidth() 334
 - margin() 334
 - ring() 33–34, 173, 331, 482
 - rowgap() 335
 - rows() ... 33–34, 172, 211, 241, 264, 329–335, 482
 - size() 334
 - span 332
 - stack .. 174, 190, 212, 223, 265, 267, 331
 - subtitle() 482
 - bexpand 333
 - box 333

- `legend()`, *continued*
- `symxsize()` 335
 - `symysize()` 335
 - `textfirst` 174, 330
 - `title()` 241, 263, 333
 - `color()` 333
 - `position()` 263–265
 - `size()` 333
- `level()` 62
- `levels()` 106
- leverage-versus-squared-residual plot
..... see `lvr2plot`
- life tables for survival data... see `ltable`
- `line()` 257
 - `lcolor()` 257
 - `lwidth()` 257
- line plots.....see `twoway` line
sorting..... 69
- line, `twoway` see `twoway` line
- linear fits...see `twoway` `lfit` and `twoway`
`lfitci`
- linear regression diagnostics graphs.. 456
- `linegap()` 233–234
- lines
 - adjacent 219
 - axes..... see `xline()` and `yline()`
 - box plots 214
 - color 100, 214, 243, 246
 - connecting.. 63, 69, 85, 113, 287–290
 - fit 63–64
 - gap between 233
 - graph region.... see `graphregion()`
 - median 218
 - overlying.....121
 - patterns..... 48, 100, 214, 243, 246,
432–434
 - plot region..... see `plotregion()`
 - styles 120
 - textbox outlines 348–349
 - whiskers..... see `cwhiskers`
 - width 100, 120, 214, 243
- `lines()` 219, 246
 - `lcolor()` 219, 246
 - `lwidth()` 219, 246
- `linetype()` 246–247
- loading graphs see `graph` use
- local linear smooth plots..... see `twoway`
`lowess`
- `lpattern()` 63, 64, 70, 85, 100, 122,
290, 433, 464
- `lroc` 459
- `lsens` 459
- `lstyle()` 120
- `ltable` 457
- `lvr2plot` 456, 463–464
- `lwidth()` 27–28,
52, 63, 64, 69–72, 85–87, 90, 94,
100, 120–122, 126, 290, 434–436,
464
- ## M
- margins
 - graph region.... see `graphregion()`
 - legend 335
 - plot region..... see `plotregion()`
 - plots 472–491
 - styles..... 436–439
 - textboxes 347
- `marginsplot` 472–491
 - opacity..... 478–481
 - overlapping..... 478–481
- `marker()` 220, 247–248
 - `mcolor()` 247
 - `mfcolor()` 247
 - `mlcolor()` 247
 - `mlwidth()` 247
 - `msize()` 220, 247–248
 - `msymbol()` 220, 247–248
- marker symbol angle... 400–401, 446–447
- markers
 - fill color..... 54
 - box plots 220
 - color.. 70, 84, 129, 246–248, 276–280
 - displaying for data points 69
 - fill color 278
 - invisible 273
 - label gap..... 287
 - label size..... 130
 - labels..... 43–45, 113, 129, 283–287
 - line width..... 54
 - median line 219
 - opacity..... 39–43, 116–118
 - options 127–130, 269–287
 - outline color 278
 - outline width 280
 - overlapping..... 65–68
 - overlying..... 122

- markers, *continued*
 plus sign 271
 schemes 283
 size .. 70, 84, 128, 246–248, 274–276,
 439–442
 squares 270
 styles 118, 119, 280–282, 439–447
 symbols 27–29, 38–43, 112, 117,
 127–128, 443–447
 width 84
 math symbols 353
 matrix
 axis labels 131–133
 scatterplot .. *see* scatterplot matrices
 titles 133
 maxes() 132, 137
 xlabel() 132
 xtick() 133
 ylabel() 132, 137
 ytick() 133
 mcolor() 39–43, 70, 84, 129, 277
 opacity 39–43, 116–118, 278
 overlapping 65–68
 mean 141
 median 140, 229
 median band plots *see* twoway mband
 median line
 color 218
 markers 219
 width 218
 median points *see* medtype(),
 medmarker(), and medline()
 median spline plots *see* twoway
 mspline
 medline() 218
 lcolor() 218
 lwidth() 218
 medmarker() 219
 msize() 219
 msymbol() 219
 medtype() 218–219
 meta forestplot 460
 meta-analysis 460
 mfcolor() 54–57, 129, 278–279, 282
 missing 150, 163, 196, 231, 252
 mlabangle() 286, 399
 mlabcolor() 286
 mlabel() 43–45, 113, 129, 273, 276,
 284–287, 338, 341, 399, 448, 464
 mlabgap() 287
 mlabposition() ... 44–45, 273, 276, 284,
 427
 mlabsize() 44, 130, 285–286, 448
 mlabvposition() 284–285
 mlcolor() 54–57, 129, 278–279
 mlwidth() 54–57, 280
 mountain plots *see* twoway area
 msangle() 400–401, 446–447
 msize() 39–43, 54–57, 70, 84, 87, 88,
 128, 274–276, 282, 439–442, 463
 mstyle() 118, 119, 280–282
 msymbol() 23, 27–28, 38,
 44, 46–47, 53–57, 70, 71, 84, 88,
 112, 117, 122, 126–128, 270–276,
 283, 428, 443–447, 463
 multiple axes *see* axes, multiple
 multiple plots *see* overlaying

N
 name() 494, 495, 498, 500, 501
 named colors 402–406
 naming graphs *see* name()
 ndots() 246
 noci 476, 487
 noclockwise 254
 nofill 31–34, 151, 197, 232
 nofit 63
 nogrid 466
 nolabel 167, 170, 176, 209, 241
 nooutsides 191–224
 normal curve
 opacity 104–105
 overlapping 104–105
 note() 221–223, 320, 362, 465, 468,
 473, 488

O
 opacity
 color 415–420
 confidence regions 478–481
 histograms 94–97
 kernel density 100
 marginsplot 478–481
 markers 39–43, 65–68, 116–118
 mcolor() 39–43, 65–68, 116–118,
 278
 normal curve 104–105
 scatterplots .. 39–43, 65–68, 116–118

- opacity, *continued*
 - shading CIs.....65–68, 123–124
 - twoway function..... 104–105
 - twoway histogram..... 94–97
 - twoway kdensity..... 100, 102–104
 - twoway lfitci..... 65–68, 123–124
 - twoway qfitci.....123–124
 - twoway scatter.....65–68
 - twoway scatterplot.....39–43, 116–118
- options.....22–30
 - adding text.....338–341
 - axes.....290–293, 310
 - labels.....24–25
 - legend.....25–26
 - marker symbols.....27–29
 - markers.....269–287
 - region.....395–397
 - scatterplot matrices.....134–135
 - specialized graphs.....463–472
 - standard.....395–397
 - textboxes.....341–352
 - titles.....22–24
 - using in the wrong context.....516
- ordering
 - bars.....*see* bar graphs, ordering
 - boxes.....*see* box plots, ordering
- orientation
 - textboxes.....344
 - titles.....442–443
- outergap().....199
- outside values
 - color.....220
 - size.....220
 - suppressing.....213
- over().....31–34, 144–169, 180–186, 191–268
 - asyvars.....195–196
 - axis().....168
 - outergap().....168
 - bar graphs.....144–162, 186–190
 - box plots.....192–197, 225–237
 - descending.....158, 159, 162, 200–202, 235–237
 - display only existing variables...151
 - dot plots.....225–237
 - gap().....151–157, 198, 233
 - label()..34, 165–168, 177, 205–207
 - angle().....34, 166, 205
 - labcolor().....167, 206
 - labgap().....168, 207
 - labsize().....167, 206
 - ticks.....167, 206
 - tlength().....167, 206
 - tlwidth().....167, 206
 - tposition().....167, 206
 - missing.....150
 - pie charts.....252
 - relabel().....163–165, 203–205, 238–239
 - sort()..157–162, 200–202, 235–237
 - sum().....161
 - y variables.....142–143
- overlapping
 - color.....420–423
 - confidence regions.....478–481
 - histograms.....94–97
 - marginsplot.....478–481
 - markers.....65–68
 - mcolor().....65–68
 - normal curve.....104–105
 - reference line.....480
 - scatterplots.....65–68
 - shading CIs.....65–68
 - twoway function.....104–105
 - twoway kdensity.....100, 102–104
 - twoway lfitci.....65–68
 - twoway scatter.....65–68
- overlying.....58–59, 116–126
 - bar graphs.....*see* bar graphs, overlaying
 - connected marker plots.....71
 - fits, CIs, smooths, and scatters.....57–68, 121–122
 - histograms.....*see* histogram, overlaying
 - kernel density....*see* kernel density, overlaying
 - legends..*see* legend, overlaid graphs
 - lines.....*see* lines, overlaying
 - markers.....*see* markers, overlaying
 - mixed plot types.....6, 27
 - scatterplots.....*see* scatterplots, overlaying

P

- pac.....458
 - patterns
 - axis lines.....48
 - box plots.....214
 - confidence level.....63
 - connecting lines.....63, 85, 290
 - lines....100, 214, 243, 246, 432–434
 - percent.....92, 258
 - percentages.....143, 149
 - pergram.....458
 - periodogram.. see *pergram* and *wntestb*
 - pie().....256, 266
 - color().....256
 - explode.....256, 266
 - pie charts..... see *graph pie*
 - adding text.....261
 - angles.....254
 - by()..... see *by()*, pie charts
 - color.....255–257
 - counterclockwise.....254
 - descending order.....255
 - exploding slices.....256–257
 - labels.....257–262, 267
 - legend.....262–265, 267
 - over()..... see *over()*, pie charts
 - slices.....255–257
 - sorting.....253–255, 267
 - titles.....263
 - types.....251–252
 - plabel().....258–261, 267
 - color().....260
 - format().....259–261
 - gap().....260–261
 - legend().....260
 - name.....267
 - size().....260
 - plotdimension().....484
 - allsimplelabels.....486
 - elabels().....485
 - labels().....484
 - nolabels.....485, 486
 - nosimplelabels.....485
 - plotopts().....475
 - clwidth().....475
 - msize().....475
 - msymbol().....475
 - plotregion().....396
 - color().....396
 - lcolor().....396
 - lwidth().....396
 - pnorm.....454
 - points, connecting..... see *connecting points*
 - population pyramid....506–507, 513–515
 - position
 - labels.....44, 179–180, 260, 339
 - legend...33, 172–174, 189, 211–212, 264, 267, 331–337
 - marker labels.....284–285
 - standard options.....427–429
 - ticks.....167, 301
 - titles..... see *title()*, *position()*
 - prefix..... see *titles*, *prefix*
 - ptext().....261
 - orientation().....262
 - placement().....262
-
- Q**
 - qladder.....455
 - qnorm.....454
 - quadratic fits..... see *twoway qfit* and *twoway qfitci*
-
- R**
 - r1title().....363
 - r2title().....363
 - range plots
 - with area shading..... see *twoway rarea*
 - with bars..... see *twoway rbar*
 - with capped spikes..... see *twoway rcap*
 - with capped spikes and marker symbols..... see *twoway rcapsym*
 - with connected lines..... see *twoway rconnected*
 - with lines..... see *twoway rline*
 - with markers..... see *twoway rscatter*
 - with spikes..... see *twoway rspike*
 - recast().....476
 - recastci().....476
 - receiver operating characteristic analysis.....459

- rectangles() 246
 - fcolor() 246
 - lcolor() 246
- reference line, overlapping 480
- reference lines *see* lines, axes and yline()
- region 395–397
- replace 500, 501
- rescheming graphs *see* scheme()
- residual-versus-fit plot *see* rvfplot
- residual-versus-predictor plot *see* rvpplot
- restoring graphs *see* graph use
- reusing graphs 493–495
- reversing axes *see* axes, reverse scale
- RGB colors 424, 425
- ROC analysis *see* receiver operating characteristic analysis
- roccomp 459
- rocplot 459
- roctab 459
- rvfplot 456, 466
- rvpplot 456
- rwidth() 246

- S**
- samples, selecting 73
- saving() 492
- saving graphs 491–493
- scale 215
 - adjusting 386–388
 - axes 114, 244, 303–307
 - labels 137
 - markers 137
- scale() 135, 388, 469
- scatter with immediate arguments *see* twoway scatteri
- scatter, twoway ... *see* twoway scatter
- scatterplot matrices 13
 - by() .. *see* by(), scatterplot matrices
 - displaying lower half 134
 - jittering 135
 - options 134–135
 - scale 135
- scatterplots *see* twoway scatter
 - opacity 39–43, 116–118
 - overlapping 65–68
 - overlying 45–46, 113–116
- scheme() 473, 493–495
- schemes 15–22, 366–386
 - 538 18, 372, 382
 - 538bw 372, 383
 - 538w 18, 372, 382
 - customizing 384–385
 - economist ... 17, 370, 376, 380, 468, 473
 - lean1 19, 373, 378, 383
 - lean2 19, 373, 378, 383
 - markers 283
 - plotplain ... 17, 371, 376, 377, 381
 - plotplainblind 381
 - plottig 18, 371, 377, 381
 - plottigblind 382
 - rescheming named graphs *see* scheme()
 - s1color 16, 369, 374, 375, 379
 - s1mono 16, 370, 376, 380, 493
 - s2color 15, 369, 374, 379
 - s2mono 16, 370, 375, 380
 - vg_hollowc 20, 283
 - vg_lgn dc 21, 147, 148, 174, 212–214, 253–255, 265
 - vg_palec 20, 179, 186
 - vg_samec 21, 51, 283, 506, 508
- scolor() 108–111
- separating graphs 49–50
- shading area graphs 76
- shading CIs
 - opacity 123–124
 - overlapping 65–68
- showyvars 171, 209–210
- size
 - adjacent line 219
 - adjusting 386–388
 - axes 387–388
 - caps 220
 - labels 44, 167, 206, 260
 - marker symbols 39–43
 - markers ... 70, 84, 128–129, 246–248, 274–276, 439–442
 - text 447–452
 - textbox 181, 342–343
 - titles 181, 214
- slices 255–257
- sort 45–47, 69–71, 76, 80, 113, 254–255, 267–268, 288–290, 430–432

- sorting
 - area graphs.....see area graphs, sorting
 - box plots.....see box plots, sorting
 - line plots.....see line plots, sorting
 - pie charts.....see pie charts, sorting
 - spacing.....see gap
 - spaghetti plot..... 510
 - specialized graphs.....453–472
 - spike plots.....see twoway spike
 - splines..... see twoway mspline
 - stack.....143, 150, 161, 178
 - stacking bars.....see stack
 - standard error of forecast.....see stdf
 - standard options.....395–397
 - standardized normal probability graphs..
 - 454
 - start().....91
 - statistical function graphs.....see twoway function
 - stci..... 457
 - stcoxkm.....457
 - stcurve.....457
 - stdf..... 62
 - stepstair.....289, 431
 - storing graphs.....see graph save
 - stphplot.....457
 - strip plots..... 315, 509
 - sts graph.....457, 467
 - styles..... 399–452
 - angles..... 399–401
 - clock position..... 427–428
 - CMYK colors..... 424, 426
 - color..... 401–427
 - color intensity..... 406–415
 - color opacity..... 415–420
 - color overlap..... 420–423
 - compass direction..... 428–429
 - HSB colors..... 425, 426
 - HSL colors.....425, 426
 - HSV colors..... 425, 426
 - lines..... 120
 - margins..... 436–439
 - marker symbols..... 443–447
 - markers..... 118, 119, 280–282, 439–447
 - named colors..... 402–406
 - orientation..... 442–443
 - styles, *continued*
 - RGB colors..... 424, 425
 - text size..... 447–452
 - subscripts..... 353
 - subtitle().....190, 318–319, 321, 362, 473, 488
 - nobexpand.....190
 - position()..... 190, 321
 - prefix..... 319
 - ring().....190, 321
 - suffix..... 319
 - suffix.....see titles, suffix
 - sum.....178
 - superscripts..... 353
 - survival graphs..... 457
 - symbols
 - height..... 335
 - margin..... see msymbol()
 - width.....335
 - symmetry plots.....454
 - symplot.....454
- T**
- t1title()..... 363
 - t2title()..... 363
 - test information function..... 461
 - text
 - adding..... 50, 115–116, 338–341
 - legend..... 328
 - orientation.....134
 - pie charts.....261
 - scale.....137
 - size..... 447–452
 - text()..... 50, 115–116, 338–352, 467
 - box..... 50
 - color()..... 343
 - linegap().....347
 - lwidth()..... 50
 - margin()..... 50, 347
 - orientation().....344
 - placement().....339–340, 342–344
 - size()..... 50, 342–343
 - textboxes..... 341–352
 - by().....see by(), textboxes
 - color..... 343, 349
 - interline gaps..... 347
 - justification..... 344–346
 - margins.....347
 - orientation.....344

- textboxes, *continued*
 - outline 348–349
 - size 181, 342–343
- thickness *see* width
- ticks
 - controlling 295–303
 - labels 206
 - length 301
 - matrix 133
 - position 301
 - suppressing 297
 - time series 74
- time series
 - labels 74
 - line plots ... *see* `twoway tcline` and `twoway tsrline`
 - minor labels 74
 - ticks 74
 - titles 73
- `tin()` 73
- `title()` ... 22–24, 28, 116, 317, 348–351, 361–366, 468, 473, 488
 - `bcolor()` 349
 - `bexpand` 365–366
 - `bmarg` 346
 - box ... 23–24, 116, 344–351, 365–366
 - `fcolor()` 349
 - `justification()` 345–346, 365
 - `lcolor()` 349
 - `lwidth()` 349
 - `margin()` 436–439
 - `nobox` 23
 - `placement()` 428
 - `position()` 364
 - `ring()` 365
 - `size()` 23–24
 - `span` 366
- titles 22–24, 169, 207, 361–366
 - axes... *see* `xtitle()` and `ytitle()`
 - bar graphs... *see* bar graphs, titles
 - box plots... *see* box plots, titles
 - categorical axes... *see* axes, categorical, titles
 - justification... *see* `title()`, `justification()`
 - legend 333–334
 - matrix 133
 - multiple lines 363
- titles, *continued*
 - orientation 442–443
 - pie charts 263
 - placing in a box... *see* `title()`, box
 - placing inside a plot region *see* `title()`, `placement()`
 - position... *see* `title()`, `position()`
 - prefix 293, 319, 465
 - size... *see* `title()`, `size()`
 - suffix 293, 319, 465
 - time series 73
 - width 365–366
- `tlabel()` 74
- `tline()` 75
- `tmlabel()` 74
- `tmtick()` 69, 74
- transparency; *see* opacity 123
- `ttext()` 75
 - `orientation()` 75
- `ttitle()` 73
- twoway
 - adding text 115–116
 - `by()` *see* `by()`, twoway
 - graphs 37–126
 - legend 115
 - options 112–116
 - overlapping 116–126
 - titles 28, 116
- twoway area 10, 75–77
- twoway bar 10, 77–80
- twoway connected 9, 70–71, 120
- twoway contour 13, 105–111
- twoway contourline 111–112
- twoway dot 8, 54
- twoway dropline 7, 53–54
- twoway `fpfit` 7, 59
- twoway `fpfitci` 60–68
- twoway function 12
 - opacity 104–105
 - overlapping 104–105
- twoway histogram 12, 90–98, 454
 - opacity 94–97
 - overlapping 94–97
- twoway `kdensity` 12, 99–104, 454
 - opacity 100, 102–104
 - overlapping 100, 102–104
- twoway `lfit` 6–7, 27–28, 58–59, 121–123, 125–126, 325–335

twoway lfitci.....7, 60–68
 opacity.....123–124
 overlapping.....65–68
 twoway line.....8, 68–75, 120–121,
 306–307
 twoway lowess.....7, 59
 twoway mband.....7
 twoway mspline.....7, 59
 twoway qfit...6, 58, 121–123, 125–126,
 325–337
 twoway qfitci.....60–68, 123–124
 opacity.....123–124
 twoway rarea...10–11, 81, 86, 124–125
 twoway rbar.....11, 83, 89–90
 twoway rcap.....11, 82, 87–88
 twoway rcapsym.....11, 83, 88
 twoway rconnected.....11, 80, 84
 twoway rline.....10, 81, 85
 twoway rscatter.....11, 81, 85
 twoway rspike.....11, 82, 88, 303–307
 twoway scatter.....5–7, 22–28, 37–68,
 112–126, 136, 269–361
 overlapping.....65–68
 twoway scatteri.....51
 twoway scatterplot
 opacity.....39–43, 116–118
 twoway spike...8, 52–53, 124–125, 454
 twoway tsline.....9, 72–75, 120
 twoway tsrline.....9, 72
 types of graphs.....4–14

U

using graphs.....see **graph use**

V

VAR model.....see **vector autoregressive model**

varbasic.....462

vector autoregressive model.....462

W

whiskers.....see **cwhiskers**

width

axes.....305
 bars.....79
 box plot lines.....199–218
 confidence level.....63
 connecting lines.....63, 69, 85, 290

width, continued

histogram bars.....91, 94, 98
 legend.....332
 lines.....100, 120, 214, 243
 marker outline.....280
 markers.....84
 median line.....218
 symbols.....335
 ticks.....167
 titles.....365–366
 width().....91–93, 98
 wntestb.....458

X

xalternate.....183–184, 205, 239
 xaxis().....308, 341
 xcorr.....458
 xdimension().....484
 xlabel().....24–25, 48–49, 130–133,
 294–295, 298, 305, 400, 474, 483
 alternate.....299
 angle().....298
 axis().....131–133
 grid.....302
 labsize().....24–25
 nogrid.....302
 valuelabels.....298
 xline().....48
 xscale().....49, 303–306, 474, 483, 500
 lwidth().....305
 range().....474
 xsize().....388, 469, 494
 xtitle().....47, 113, 291–293, 465–466,
 473, 474
 box.....291, 292
 orientation().....443
 prefix.....293
 size().....291, 292, 466

Y**y variables**

bar graphs.....see **bar graphs, y variables**
 multiple.....141–143
 yalternate.....164, 183, 216, 244
 yaxis().....114, 124–125, 293, 308–310
 ycommon.....496

`ylabel()` 32–34, 48–49,
 114–115, 130–133, 182–183, 215,
 243, 294–303, 307, 309–310, 466,
 474, 501
 `angle()` 32–34, 474
 `axis()` 131–133, 309–310
 `glcolor` 302
 `glpattern` 302–303
 `glwidth` 302
 `grid` 48, 301–303
 `labgap()` 300
 `labsize()` 299, 300
 `nogrid` 48, 182, 215, 301
 `nolabel` 297
 `noticks` 297
 `tlength()` 301
 `tlwidth()` 301
 `tposition()` 301
`yline()` 48, 181–182, 214, 243, 466
 `lcolor()` 181–182, 214, 243
 `lpattern()` 181–182, 214, 243
 `lwidth()` 181–182, 214, 243
`ylabel()` 295, 302
 `glcolor()` 302
 `glpattern()` 302
 `grid` 302
`ymtick()` 296, 301
 `tposition()` 301
`yreverse` 183–184, 216, 245
`yscale()` ... 114, 124, 177, 183, 215, 244,
 306–307, 474
 `axis()` 124, 306
 `range()` 124, 177, 306–307, 474
`ysize()` 388, 469, 494
`ytick()` 296, 301
 `tposition()` 301
`yttitle()` ... 32–34, 47–48, 181, 214, 242,
 291–293, 310, 465, 473, 474
 `axis()` 310
 `bexpand` 181, 214, 243
 `box` 181, 214, 243
 `fcolor()` 243
 `orientation()` 443
 `size()` 47, 181, 214
 `suffix` 293
`yvaroptions()` 164, 166, 197–202,
 204–205, 238–239
 `label()` 166
 `relabel()` ... 164, 204–205, 238–239